ELSEVIER

Molecular Brain Research 67 (1999) 316–317

MOLECULAR BRAIN RESEARCH

Author Index

Ahmed, F., see Chaudhary, P. (67) 36

Bae, Y., see Conti, B. (67) 46
Barger, S.W., see Moerman, A.M. (67) 303
Beck, H., see Becker, A.J. (67) 172
Becker, A.J., Gillardon, F., Blümcke, I., Langendörfer, D., Beck, H. and Wiestler, O.D.
Differential regulation of apoptosis-related genes in resistant and vulnerable subfields of the rat epileptic hippocampus (67) 172
Berrendero, F., see Corchero, J. (67) 148
Biswas, S.C., see Sarkar, S. (67) 158
Black, J.A., see Fjell, J. (67) 267
Blasig, I.E., see Sporbert, A. (67) 258
Blümcke, I., see Becker, A.J. (67) 172
Burt, D.R., see Mu, W. (67) 137

Calingasan, N.Y., see Conti, B. (67) 46
Chatterjee, O., see Sarkar, S. (67) 158
Chaudhary, P., Ahmed, F., Quebada, P. and Sharma, S.C.
Caspase inhibitors block the retinal ganglion cell death following optic nerve transection (67) 36
Chin, L.-S., Fu, Q., Kachinsky, A.M., Jabren, G., Niu, Y. and Li, L.
Neuron-specific and developmental regulation of the synapsin II gene expression in transgenic mice (67) 239
Colpaert, F.C., see Dupuis, D.S. (67) 107
Conti, B., Park, L.C.H., Calingasan, N.Y., Kim, Y., Kim, H., Bae, Y., Gibson, G.E. and Joh, T.H.
Cultures of astrocytes and microglia express interleukin 18 (67) 46
Corchero, J., Romero, J., Berrendero, F., Fernandez-Ruiz, J., Ramos, J.A., Fuentes, J.A. and Manzanares, J.
Time-dependent differences of repeated administration with Δ^9-tetrahydrocannabinol in proenkephalin and cannabinoid receptor gene expression and G-protein activation by μ-opioid and CB_1-cannabinoid receptors in the caudate–putamen (67) 148
Cummins, T.R., see Fjell, J. (67) 267

De Guido, L., see Guido, M.E. (67) 247
Dib-Hajj, S.D., see Fjell, J. (67) 267
Dillon, G.H., see Huang, R.-Q. (67) 177
Domercq, M. and Matute, C.
Expression of glutamate transporters in the adult bovine corpus callosum (67) 296
Dupuis, D.S., Perez, M., Halazy, S., Colpaert, F.C. and Pauwels, P.J.
Magnitude of 5-HT_{1B} and 5-HT_{1A} receptor activation in guinea-pig and rat brain: evidence from sumatriptan dimer-mediated [^{35}S]GTPγS binding responses (67) 107

Enikolopov, G., see Nishizaki, T. (67) 184

Fang, M.-J., see Huang, R.-Q. (67) 177
Faull, R.L.M., see Malherbe, P. (67) 201
Fernandez-Ruiz, J., see Corchero, J. (67) 148
Ferris, C.F., see Miller, M.A. (67) 28
Fjell, J., Cummins, T.R., Dib-Hajj, S.D., Fried, K., Black, J.A. and Waxman, S.G.
Differential role of GDNF and NGF in the maintenance of two TTX-resistant sodium channels in adult DRG neurons (67) 267
French, S.J., Humby, T., Horner, C.H., Sofroniew, M.V. and Rattray, M.
Hippocampal neurotrophin and trk receptor mRNA levels are altered by local administration of nicotine, carbachol and pilocarpine (67) 124
Fried, K., see Fjell, J. (67) 267
Fu, Q., see Chin, L.-S. (67) 239
Fuentes, J.A., see Corchero, J. (67) 148

Gibson, G.E., see Conti, B. (67) 46
Gillardon, F., see Becker, A.J. (67) 172
Godement, P., see Nguyen Ba-Charvet, K.T. (67) 292
Goguen, D., see Guido, M.E. (67) 247
Gomi, F., see Morihara, T. (67) 231
Gonçalves, P.P., Meireles, S.M., Neves, P. and Vale, M.G.P.
Ionic selectivity of the Ca^{2+}/H^+ antiport in synaptic vesicles of sheep brain cortex (67) 283
Goto, S., see Okamura, A. (67) 1
Gresch, P.J. and Walker, P.D.
Acute *p*-chloroamphetamine increases striatal preprotachykinin mRNA: role of the serotonin 2A/2C receptor (67) 190
Guido, M.E., De Guido, L., Goguen, D., Robertson, H.A. and Rusak, B.
Differential effects of glutamatergic blockade on circadian and photic regulation of gene expression in the hamster suprachiasmatic nucleus (67) 247

Halazy, S., see Dupuis, D.S. (67) 107
Hamasaki, T., see Okamura, A. (67) 1
Haseloff, R.F., see Sporbert, A. (67) 258
Hori, T., see Kitaichi, K. (67) 98
Horner, C.H., see French, S.J. (67) 124
Houtani, T., see Nishi, M. (67) 74
Huang, R.-Q., Fang, M.-J. and Dillon, G.H.
The tyrosine kinase inhibitor genistein directly inhibits $GABA_A$ receptors (67) 177
Humby, T., see French, S.J. (67) 124

Imaizumi, K., see Morihara, T. (67) 231
Imbe, H. and Ren, K.
Orofacial deep and cutaneous tissue inflammation differentially upregulates preprodynorphin mRNA in the trigeminal and paratrigeminal nuclei of the rat (67) 87

Jabren, G., see Chin, L.-S. (67) 239
Joh, T.H., see Conti, B. (67) 46

Kachinsky, A.M., see Chin, L.-S. (67) 239
Kaczmarek, L., see Lukasiuk, K. (67) 64
Kim, H., see Conti, B. (67) 46
Kim, O.-J., see Kumagae, Y. (67) 10
Kim, Y., see Conti, B. (67) 46
Kitaichi, K., Hori, T., Srivastava, L.K. and Quirion, R.
Antisense oligodeoxynucleotides against the muscarinic m_2, but not m_4, receptor supports its role as autoreceptors in the rat hippocampus (67) 98
Kiyama, H., see Morihara, T. (67) 231
Kolb, P.E., see Miller, M.A. (67) 28
Kratzeisen, C., see Malherbe, P. (67) 201
Kudo, T., see Morihara, T. (67) 231
Kumagae, Y., Zhang, Y., Kim, O.-J. and Miller, C.A.
Human c-Jun N-terminal kinase expression and activation in the nervous system (67) 10

Langendörfer, D., see Becker, A.J. (67) 172
Li, L., see Chin, L.-S. (67) 239
Li, Z., Wo, Z.G. and Oswald, R.E.
Goldfish brain GluR2: multiple forms, RNA editing, and alternative splicing (67) 211
Lucas, M.M., see Moerman, A.M. (67) 303
Lukasiuk, K., Savonenko, A., Nikolaev, E., Rydz, M. and Kaczmarek, L.
Defensive conditioning-related increase in AP-1 transcription factor in the rat cortex (67) 64
Lummis, S.C.R., see Spier, A.D. (67) 221
Lundstrom, K., see Malherbe, P. (67) 201

Malherbe, P., Kratzeisen, C., Lundstrom, K., Richards, J.G., Faull, R.L.M. and Mutel, V.
Cloning and functional expression of alternative spliced variants of the human metabotropic glutamate receptor 8 (67) 201

ELSEVIER

Molecular Brain Research 67 (1999) 316–317

MOLECULAR BRAIN RESEARCH

Author Index

Ahmed, F., see Chaudhary, P. (67) 36

Bae, Y., see Conti, B. (67) 46
Barger, S.W., see Moerman, A.M. (67) 303
Beck, H., see Becker, A.J. (67) 172
Becker, A.J., Gillardon, F., Blümcke, I., Langendörfer, D., Beck, H. and Wiestler, O.D.
Differential regulation of apoptosis-related genes in resistant and vulnerable subfields of the rat epileptic hippocampus (67) 172
Berrendero, F., see Corchero, J. (67) 148
Biswas, S.C., see Sarkar, S. (67) 158
Black, J.A., see Fjell, J. (67) 267
Blasig, I.E., see Sporbert, A. (67) 258
Blümcke, I., see Becker, A.J. (67) 172
Burt, D.R., see Mu, W. (67) 137

Calingasan, N.Y., see Conti, B. (67) 46
Chatterjee, O., see Sarkar, S. (67) 158
Chaudhary, P., Ahmed, F., Quebada, P. and Sharma, S.C.
Caspase inhibitors block the retinal ganglion cell death following optic nerve transection (67) 36
Chin, L.-S., Fu, Q., Kachinsky, A.M., Jabren, G., Niu, Y. and Li, L.
Neuron-specific and developmental regulation of the synapsin II gene expression in transgenic mice (67) 239
Colpaert, F.C., see Dupuis, D.S. (67) 107
Conti, B., Park, L.C.H., Calingasan, N.Y., Kim, Y., Kim, H., Bae, Y., Gibson, G.E. and Joh, T.H.
Cultures of astrocytes and microglia express interleukin 18 (67) 46
Corchero, J., Romero, J., Berrendero, F., Fernandez-Ruiz, J., Ramos, J.A., Fuentes, J.A. and Manzanares, J.
Time-dependent differences of repeated administration with Δ^9-tetrahydrocannabinol in proenkephalin and cannabinoid receptor gene expression and G-protein activation by μ-opioid and CB_1-cannabinoid receptors in the caudate–putamen (67) 148
Cummins, T.R., see Fjell, J. (67) 267

De Guido, L., see Guido, M.E. (67) 247
Dib-Hajj, S.D., see Fjell, J. (67) 267
Dillon, G.H., see Huang, R.-Q. (67) 177
Domercq, M. and Matute, C.
Expression of glutamate transporters in the adult bovine corpus callosum (67) 296
Dupuis, D.S., Perez, M., Halazy, S., Colpaert, F.C. and Pauwels, P.J.
Magnitude of 5-HT_{1B} and 5-HT_{1A} receptor activation in guinea-pig and rat brain: evidence from sumatriptan dimer-mediated [^{35}S]GTPγS binding responses (67) 107

Enikolopov, G., see Nishizaki, T. (67) 184

Fang, M.-J., see Huang, R.-Q. (67) 177
Faull, R.L.M., see Malherbe, P. (67) 201
Fernandez-Ruiz, J., see Corchero, J. (67) 148
Ferris, C.F., see Miller, M.A. (67) 28
Fjell, J., Cummins, T.R., Dib-Hajj, S.D., Fried, K., Black, J.A. and Waxman, S.G.
Differential role of GDNF and NGF in the maintenance of two TTX-resistant sodium channels in adult DRG neurons (67) 267
French, S.J., Humby, T., Horner, C.H., Sofroniew, M.V. and Rattray, M.
Hippocampal neurotrophin and trk receptor mRNA levels are altered by local administration of nicotine, carbachol and pilocarpine (67) 124
Fried, K., see Fjell, J. (67) 267
Fu, Q., see Chin, L.-S. (67) 239
Fuentes, J.A., see Corchero, J. (67) 148

Gibson, G.E., see Conti, B. (67) 46
Gillardon, F., see Becker, A.J. (67) 172
Godement, P., see Nguyen Ba-Charvet, K.T. (67) 292
Goguen, D., see Guido, M.E. (67) 247
Gomi, F., see Morihara, T. (67) 231
Gonçalves, P.P., Meireles, S.M., Neves, P. and Vale, M.G.P.
Ionic selectivity of the Ca^{2+}/H^+ antiport in synaptic vesicles of sheep brain cortex (67) 283
Goto, S., see Okamura, A. (67) 1
Gresch, P.J. and Walker, P.D.
Acute *p*-chloroamphetamine increases striatal preprotachykinin mRNA: role of the serotonin 2A/2C receptor (67) 190
Guido, M.E., De Guido, L., Goguen, D., Robertson, H.A. and Rusak, B.
Differential effects of glutamatergic blockade on circadian and photic regulation of gene expression in the hamster suprachiasmatic nucleus (67) 247

Halazy, S., see Dupuis, D.S. (67) 107
Hamasaki, T., see Okamura, A. (67) 1
Haseloff, R.F., see Sporbert, A. (67) 258
Hori, T., see Kitaichi, K. (67) 98
Horner, C.H., see French, S.J. (67) 124
Houtani, T., see Nishi, M. (67) 74
Huang, R.-Q., Fang, M.-J. and Dillon, G.H.
The tyrosine kinase inhibitor genistein directly inhibits $GABA_A$ receptors (67) 177
Humby, T., see French, S.J. (67) 124

Imaizumi, K., see Morihara, T. (67) 231
Imbe, H. and Ren, K.
Orofacial deep and cutaneous tissue inflammation differentially upregulates preprodynorphin mRNA in the trigeminal and paratrigeminal nuclei of the rat (67) 87

Jabren, G., see Chin, L.-S. (67) 239
Joh, T.H., see Conti, B. (67) 46

Kachinsky, A.M., see Chin, L.-S. (67) 239
Kaczmarek, L., see Lukasiuk, K. (67) 64
Kim, H., see Conti, B. (67) 46
Kim, O.-J., see Kumagae, Y. (67) 10
Kim, Y., see Conti, B. (67) 46
Kitaichi, K., Hori, T., Srivastava, L.K. and Quirion, R.
Antisense oligodeoxynucleotides against the muscarinic m_2, but not m_4, receptor supports its role as autoreceptors in the rat hippocampus (67) 98
Kiyama, H., see Morihara, T. (67) 231
Kolb, P.E., see Miller, M.A. (67) 28
Kratzeisen, C., see Malherbe, P. (67) 201
Kudo, T., see Morihara, T. (67) 231
Kumagae, Y., Zhang, Y., Kim, O.-J. and Miller, C.A.
Human c-Jun N-terminal kinase expression and activation in the nervous system (67) 10

Langendörfer, D., see Becker, A.J. (67) 172
Li, L., see Chin, L.-S. (67) 239
Li, Z., Wo, Z.G. and Oswald, R.E.
Goldfish brain GluR2: multiple forms, RNA editing, and alternative splicing (67) 211
Lucas, M.M., see Moerman, A.M. (67) 303
Lukasiuk, K., Savonenko, A., Nikolaev, E., Rydz, M. and Kaczmarek, L.
Defensive conditioning-related increase in AP-1 transcription factor in the rat cortex (67) 64
Lummis, S.C.R., see Spier, A.D. (67) 221
Lundstrom, K., see Malherbe, P. (67) 201

Malherbe, P., Kratzeisen, C., Lundstrom, K., Richards, J.G., Faull, R.L.M. and Mutel, V.
Cloning and functional expression of alternative spliced variants of the human metabotropic glutamate receptor 8 (67) 201

Manzanares, J., see Corchero, J. (67) 148
Mao, X., see Moerman, A.M. (67) 303
Matsuoka, T., see Nishizaki, T. (67) 184
Matute, C., see Domercq, M. (67) 296
Mehta, A.K. and Ticku, M.K.
Prevalence of the $GABA_A$ receptor assemblies containing α_1-subunit in the rat cerebellum and cerebral cortex as determined by immunoprecipitation: lack of modulation by chronic ethanol administration (67) 194
Mei, L., see Si, J. (67) 18
Meireles, S.M., see Gonçalves, P.P. (67) 283
Mertsch, K., see Sporbert, A. (67) 258
Miller, C.A., see Kumagae, Y. (67) 10
Miller, M.A., Ferris, C.F. and Kolb, P.E.
Absence of vasopressin expression by galanin neurons in the golden hamster: implications for species differences in extrahypothalamic vasopressin pathways (67) 28
Moerman, A.M., Mao, X., Lucas, M.M. and Barger, S.W.
Characterization of a neuronal κB-binding factor distinct from NF-κB^1 (67) 303
Morihara, T., Tanabe, K., Yoneda, T., Tanaka, T., Kudo, T., Gomi, F., Kiyama, H., Imaizumi, K., Tohyama, M. and Takeda, M.
IPP isomerase, an enzyme of mevalonate pathway, is preferentially expressed in postnatal cortical neurons and induced after nerve transection (67) 231
Mu, W. and Burt, D.R.
Transcriptional regulation of $GABA_A$ receptor γ2 subunit gene (67) 137
Mutel, V., see Malherbe, P. (67) 201

Nakagawara, K.-i., see Nishi, M. (67) 74
Nakazawa, A., see Noma, T. (67) 53
Nayak, S.V., see Spier, A.D. (67) 221
Neves, P., see Gonçalves, P.P. (67) 283
Nguyen Ba-Charvet, K.T., Von Boxberg, Y. and Godement, P.
The mouse homeodomain protein OTX2 regulates NCAM promoter activity (67) 292
Nichols, R.A., see Spier, A.D. (67) 221
Nikolaev, E., see Lukasiuk, K. (67) 64
Nishi, M., Takeshima, H., Houtani, T., Nakagawara, K.-i., Noda, T. and Sugimoto, T.
RhoN, a novel small GTP-binding protein expressed predominantly in neurons and hepatic stellate cells (67) 74
Nishi, T., see Okamura, A. (67) 1
Nishimura, M., Sato, K., Shimada, S. and Tohyama, M.
Expression of norepinephrine and serotonin transporter mRNAs in the rat superior cervical ganglion (67) 82
Nishizaki, T., Matsuoka, T., Nomura, T., Enikolopov, G. and Sumikawa, K.
Arachidonic acid potentiates currents through Ca^{2+}-permeable AMPA receptors by interacting with a CaMKII pathway (67) 184
Niu, Y., see Chin, L.-S. (67) 239
Noda, T., see Nishi, M. (67) 74
Noma, T., Yoon, Y.-S. and Nakazawa, A.
Overexpression of NeuroD in PC12 cells alters morphology and enhances expression of the adenylate kinase isozyme 1 gene (67) 53
Nomura, T., see Nishizaki, T. (67) 184

Okamura, A., Goto, S., Nishi, T., Hamasaki, T. and Ushio, Y.
Overexpression of striatal enriched phosphatase (STEP) promotes the neurite outgrowth induced by a cAMP analogue in PC12 cells (67) 1
Oswald, R.E., see Li, Z. (67) 211

Park, L.C.H., see Conti, B. (67) 46
Patisaul, H.B., Whitten, P.L. and Young, L.J.
Regulation of estrogen receptor beta mRNA in the brain: opposite effects of 17β-estradiol and the phytoestrogen, coumestrol (67) 165
Paul, M., see Sporbert, A. (67) 258
Pauwels, P.J., see Dupuis, D.S. (67) 107
Perez, M., see Dupuis, D.S. (67) 107
Priestley, J.V., see Spier, A.D. (67) 221

Quebada, P., see Chaudhary, P. (67) 36
Quirion, R., see Kitaichi, K. (67) 98

Ramos, J.A., see Corchero, J. (67) 148
Rattray, M., see French, S.J. (67) 124
Ren, K., see Imbe, H. (67) 87
Richards, J.G., see Malherbe, P. (67) 201
Robertson, H.A., see Guido, M.E. (67) 247
Romero, J., see Corchero, J. (67) 148
Rusak, B., see Guido, M.E. (67) 247
Ruth, P., see Sporbert, A. (67) 258
Rydz, M., see Lukasiuk, K. (67) 64

Sarkar, P.K., see Sarkar, S. (67) 158
Sarkar, S., Biswas, S.C., Chatterjee, O. and Sarkar, P.K.
Protein kinase A linked phosphorylation mediates triiodothyronine induced actin gene expression in developing brain (67) 158
Sato, K., see Nishimura, M. (67) 82
Savonenko, A., see Lukasiuk, K. (67) 64
Schönfelder, G., see Sporbert, A. (67) 258
Sharma, S.C., see Chaudhary, P. (67) 36
Shimada, S., see Nishimura, M. (67) 82
Si, J. and Mei, L.
ERK MAP kinase activation is required for acetylcholine receptor inducing activity-induced increase in all five acetylcholine receptor subunit mRNAs as well as synapse-specific expression of acetylcholine receptor ε-transgene (67) 18
Smolenski, A., see Sporbert, A. (67) 258
Sofroniew, M.V., see French, S.J. (67) 124
Spier, A.D., Wotherspoon, G., Nayak, S.V., Nichols, R.A., Priestley, J.V. and Lummis, S.C.R.
Antibodies against the extracellular domain of the $5\text{-}HT_3$ receptor label both native and recombinant receptors (67) 221
Sporbert, A., Mertsch, K., Smolenski, A., Haseloff, R.F., Schönfelder, G., Paul, M., Ruth, P., Walter, U. and Blasig, I.E.
Phosphorylation of vasodilator-stimulated phosphoprotein: a consequence of nitric oxide- and cGMP-mediated signal transduction in brain capillary endothelial cells and astrocytes (67) 258
Srivastava, L.K., see Kitaichi, K. (67) 98
Sugimoto, T., see Nishi, M. (67) 74
Sumikawa, K., see Nishizaki, T. (67) 184

Takeda, M., see Morihara, T. (67) 231
Takeshima, H., see Nishi, M. (67) 74
Tanabe, K., see Morihara, T. (67) 231
Tanaka, T., see Morihara, T. (67) 231
Ticku, M.K., see Mehta, A.K. (67) 194
Tohyama, M., see Morihara, T. (67) 231
Tohyama, M., see Nishimura, M. (67) 82

Ushio, Y., see Okamura, A. (67) 1

Vale, M.G.P., see Gonçalves, P.P. (67) 283
Von Boxberg, Y., see Nguyen Ba-Charvet, K.T. (67) 292

Walker, P.D., see Gresch, P.J. (67) 190
Walter, U., see Sporbert, A. (67) 258
Waxman, S.G., see Fjell, J. (67) 267
Whitten, P.L., see Patisaul, H.B. (67) 165
Wiestler, O.D., see Becker, A.J. (67) 172
Wo, Z.G., see Li, Z. (67) 211
Wotherspoon, G., see Spier, A.D. (67) 221

Yoneda, T., see Morihara, T. (67) 231
Yoon, Y.-S., see Noma, T. (67) 53
Young, L.J., see Patisaul, H.B. (67) 165

Zhang, Y., see Kumagae, Y. (67) 10